



HIGH OUTPUT AUGER UNITS

WALINGA
INC.



AUGER SYSTEM

Size does matter. The main auger tubes diameter, thickness of flighting, major shaft size, stub shaft and bearings are all the thickest and or heaviest in the industry. Durability and longevity are priority; heavier shafts don't flex, thicker flightings and larger bearings last longer, all designed to perform relentlessly day after day.

Wiring harness channeled through conduit has proven so successful against wear and tear that it's now utilized in all undercarriage air lines.



EXTRUSIONS

The complete base of Walinga's standard Ultra-Lite is 100% extruded! All extrusions are not created equal. Unique to Walinga, extrusions vary in thickness optimizing strength to weight ratios throughout the entirety of the unit.



HYDRAULIC SYSTEM

It's all in the details. Look closely at a Walinga hydraulic system and you'll notice sweeping elbows and hydraulic tubing. There are no tight elbow "black fittings" or "black pipe". Hydraulic tubing is smoother on the inside, has a higher pressure rating and provides less resistance totaling in as highly efficient with less maintenance.



ELECTRICAL SYSTEM

All Walinga feed units utilize a manufactured to specification sealed Truck-Lite™ wiring harness. Every light power source is a single splice-free and seam-free line to and from an oversized junction box. Channeled thru plastic conduit the electrical system is protected from the elements while the conduit eliminates wear issues associated with others "zip-tied to frame" practices.



Ultra-Lite Low Pro



Affectionately called "the HOAG", when Walinga's UltraLite™ aluminum trailer is equipped with the High Output Auger system it makes quick, efficient work of any bulk feed delivery. Add this to the extended life of the unit and you will see our dedication to designing quality units which cater to the requirements of our customers.

SPECIFICATIONS

LENGTH

- available in straight truck or semi-trailer configuration

CAPACITY

- 36/40/44/48/50/52/54 ft³/ft

UNLOADING RATE

- 5,000 - 7,000 lbs./min.



Junction boxes include wiring diagram labels inside. All utility boxes are manufactured from aluminum and all boxes are positioned for easy access.

Walinga isn't about fancy claims, we simply build well engineered, hard-working bulk transportation equipment. Throughout our history of manufacturing bulk feed equipment we have realized the importance of manufacturing equipment that is engineered and built for the customer's needs, with longevity and durability as key elements.



WALINGA.COM

Head Office

R.R. #5, Guelph, ON.
Canada N1H 6J2
Tel: +1 519-824-8520
Tel: 888.925.4642
Fax: 519.824.5651

Michigan

1190 Electric Ave.
Wayland, MI.
USA 49348
Tel: 616.877.3470
Tel: 800.466.1197
Fax: 616.877.3474

Manitoba

70 3rd Ave. N.E.
Box 1790
Carman, Manitoba
Canada R0G 0J0
Tel: 204.745.2951
Fax: 204.745.6309

Iowa

579 4th St. N.W.
Sioux Center, IA
USA 51250
Tel: 800.845.5589
Fax: 712.722.1128

Australia

Customvac Australia.
24 Molloy Street
Toowoomba Qld 4350
Australia
Tel: 800.244.699

